# Using AIRS observations to forecast Asian pollution and stratospheric intrusion events in western U.S. surface air

### **Meiyun Lin**

### **Princeton University & NOAA GFDL**

AIRS collaborators: Juying X. Warner, Laura L. Pan Others: A. M. Fiore, L. W. Horowitz, O. R. Cooper, A. O. Langford












# Asian and stratospheric influences on high-O<sub>3</sub> events in western U.S. surface air



The policy challenges: 1) An ever-tightening ozone NAAQS

- 2) Screening of "exceptional events"
- 3) Developing forecasting tools




Space-based indicators of daily-to-yearly variability in background ozone



### AIRS CO and $O_3$ products (V5.2):

-Global coverage obtained twice daily → Process studies of chemical evolution -2002 present (incl. several ENSO cycles) → Examination of yearly variability

[Aumann et al., 2003; Susskind et al., 2003; Pan et al., 2007; McMillan et al., 2005, 2011; Warner et al., 2007, 2010]




Mean Asian and stratospheric contributions to U.S. surface O<sub>3</sub> in spring Estimated by the GFDL AM3 model at ~50x50 km<sup>2</sup> resolution


### Trans-Pacific Asian pollution plumes

#### The view from satellites

(AIRS CO columns, V5.2, Level 3)




#### Point Reyes Sonde, CA



- → GFDL AM3 model captures the interleaving structure of stratospheric (2-4 km) and Asian ozone (4-10 km)
- → How important is Asian influence in surface air?


### Asian pollution contribution to high-O<sub>3</sub> episodes




- → Asian influence may confound efforts to attain tighter standards
- → Developing forecasting tools from AIRS daily CO products?

### Towards a predictive relationship: Correlations of daily AIRS CO and Asian influence on WUS surface ozone








**Enhancements in AIRS CO** 

 $\rightarrow$  Advanced warning of Asian impacts on surface O<sub>3</sub> episodes in WUS?


Lin, et al., 2012a, JGR (AGU Editors' Highlight, Featured in Nature News, ScienceShot in Science Magazine, and NY Times Green Blog)

### An unusually large tropopause fold over Southern California (May 23, 2010)




AIRS O<sub>3</sub> retrievals capture consistent dynamic features with PV, model and lidar measurements [see also Pan et al., 2007; Pittman et al., 2009; Wei et al., 2010]

# AIRS O<sub>3</sub> retrievals capture upper dynamics conducive to deep stratospheric intrusions over the western U.S.




Western U.S. is prone to deep intrusions  $\rightarrow$  Co-varying enhancements in UT/LS, lower trop, and surface O<sub>3</sub>

### Towards a predictive relationship: Correlations of daily AIRS UT/LS ozone and surface ozone




Correlation coefficient of AM3 O<sub>3</sub>S and observed O<sub>3</sub> at CHA surface site, respectively, with **AIRS 300 hPa O<sub>3</sub>** at each 1°x1° grid using daily datasets from April-May in 2011

### Forecasting surface destinations of transported O<sub>3</sub>-strat



- → Stronger potential for accurate prediction in ~1 day as to where the intrusion will reach the surface
- → AIRS O<sub>3</sub> variability ~5°x5° NW of a receptor site indicates incoming intrusions

# The spatial pattern of correlations varies interannually: Links to ENSO in day-to-day progression



Correlation coefficient of AM3 surface O<sub>3</sub>S at Grand Canyon NP with AIRS total O<sub>3</sub> at each 1°x1° grid, 0-3 days prior using datasets from April-June



Space-based indicators of daily-to-yearly variability in transported "background"



#### <u>Insights to processes controlling Western U.S. Air Quality:</u>

- 1) AIRS CO over NE Pacific indicates potential for Asian influence
- 2) AIRS O<sub>3</sub> over WUS indicates potential for stratospheric influence

#### **Potential AQ Applications:**

- 1) Public health alerts
- 2) Identify exceptional events
- 3) Chemical data assimilation

#### **Moving Forward:**

- 1) Towards a quantitative relationship, e.g.  $\triangle O_3$  variability?
- 2) Exploration of other products, e.g. Aura (OMI/MLS), AIRS V6, IASI?


### Additional slides for Q&A

### For some results presented, see also:

**Lin, M., et al.** (2012), Transport of Asian ozone pollution into surface air over the western United States in spring, *J. Geophys. Res.*, *117*, D00V07, doi: 10.1029/2011JD016961

Lin, M., A. M. Fiore, O. R. Cooper, L. W. Horowitz, A. O. Langford, H. Levy II, B. J. Johnson, V. Naik, S. J. Oltmans, and C. J. Senff (2012), Springtime high surface ozone events over the western United States: Quantifying the role of stratospheric intrusions, *J. Geophys. Res.*, 117, D00V22, doi: 10.1029/2012JD018151.

### Correlations of daily OMI ozone and surface ozone



#### **Potential AQ Applications:**

- ◆ Screening of "exceptional events"...combined with suborbital observations
- ◆ Advanced warning of regional high O<sub>3</sub>-Strat events with a lead time of ~1-3 days (more skill in 1 day)
- $\rightarrow$  Qualitatively promising ...ongoing work for a quantitative relationship ( $\triangle O_3$ )
- → Utility of other Aura ozone products, e.g. MLS and TES?